

## INFORMATION

## Bibliography

**18050 - Evaluation of lipid spray beads for the delivery of water-soluble materials to a marine suspension - feeder, the Manila clam *Tapes philippinarum* (Delhayes 1853).** Buchal, M. A.; Langdon, C. J. 1998. *Aquacult. Nutr.* 4 (4): 263-274. (P. O. Box 4992, Kailua Kona, HI96745, USA (Email:mbuchal@ultraconnect.com))

**18051 - The dynamics of unexploited population of *Corbula trigona* (Bivalvia: Corbulidae) in a brackish - water lagoon, Cote d'Ivoire.** Etim, L.; Sankare, Y.; Brey, T.; Arntz, W. 1998. *Arch. Fish. Mar. Res.* 46(3): 253 - 262. (University of Uyo, Faculty of Agriculture, Uyo, Nigeria) (Email:root@uniuyo.edu.ng)

**18052 - The *Macrobrachium* fishery of the Cross River estuary, Nigeria.** Enin, U.I. 1998. *Arch. Fish. Mar. Res.* 46(3):263-272. (University of Calabar, Institute of Oceanography, PMB 115, Calabar, Nigeria (Email: User@Unical.npa.net.ng))

**18053 - Effects of disturbance caused by selective timber extraction on fish communities in Sabah, Malaysia.** Martin-Smith, K.M. 1998. *Environ. Biol. Fish.* 53(2):155-167. (University of Aberdeen, Dept. of Zoology, Tillydrone Ave., Aberdeen AB24 2TZ, UK) (Email:l.m.laird@abdn.ac.uk)

**18054 - Factors influencing spatial distribution of fish communities on a fringing reef at Mauritius, S.W. Indian Ocean.** Adjeroud, M.; Letourneur, Y.; Porcher, M.; Salvat, B. 1998. *Environ. Biol. Fish.* 53(2):169-182. (Universite de Perpignan, Centre de Biologie et d'Ecologie Tropicale et Mediteraneenne, Ecole Pratique des Hautes Etudes, URA CNRS 1453, 66860, Perpignan Cedex, France) (Email: adjeroud@uni-v-perp.fr)

**18055 - Freshwater fishes of the Burdekin River, Australia, biogeography, history and spatial variation in community structure.** Pusey, B.J.; Arthington, A.H.; Read, M.G. 1998. *Environ. Biol. Fish.* 53(3):303-318. (Write to A.H. Arthington, Griffith University, Centre for Catchment & In-Stream Research, Nathan, QLD 4111, Australia) (Email: a.arthington@ens.gu.edu.au)

**18056 - Reproduction, diet and population structure of the mountain mullet, *Agonostomus monticola*, in Jamaica, West Indies.** Aiken, K. A. 1998. *Environ. Biol. Fish.* 53(3):347-352. (University of the West Indies, Dept. of Life Sciences, Mona, Jamaica)

This section contains a list of selected recent publications on fisheries, aquaculture and aquatic resources management available at the ICLARM Library. The subject, taxonomic and geographic indexes to this are given on pages 43-45.

Please write to the senior author if you require reprints of any article or monograph.

(Email:kaaiken@toj.com)

**18057 - Effects of seasonal variations in meteorology and oceanography on the Brazilian sardine fishery.** Sunye, P. S.; Servain, J. 1998. *Fish. Oceanogr.* 7(2):89-100. (Centre ORSTOM de Brest, BP 70, 29280, Plouzane, France) (Email: psunye@ifremer.fr)

**18058 - The significance and prediction of predation in marine fisheries.** Bax, N. J. 1998. *ICES J. Mar. Sci.* 55(6):997-1030. (CSIRO Marine Research, GPO Box 1538, Hobart, TAS 7001, Australia) (Email: nic.bax@marine.csiro.au)

**18059 - Assessing the effects of closed seasons in tropical and subtropical penaeid shrimps using a length-based yield-per-recruit model.** Ye, Y. 1998. *ICES J. Mar. Sci.* 55(6):1112-1124. (Kuwait Institute for Scientific Research, P. O. Box 1638, 22017, Salmiya, Kuwait) (Email: yye@safat.kisr.edu.kw)

**18060 - Selective breeding in aquaculture.** Gjedrem, T. 1998. *INFOFISH Int.* (3):44-48. (AKVAFORSK, Institute of Aquaculture Research, Aas, Norway)

**18061 - Application of the HACCP in processing raw tropical shrimp.** Debevere, J.; Neyts, K. 1998. *INFOFISH Int.* (3):49-50, 52-55. (University of Ghent, Faculty of Agricultural & Applied Biological Sciences, Dept. of Food Technology & Nutrition, Ghent, Belgium)

**18062 - Dietary methionine requirement of the African catfish, *Clarias gariepinus*.** Fagbenro, O.A.; Balogun, A.M.; Fasakin, E.A. 1998. *J. Appl. Aquacult.* 8(4):47-54. (University of Plymouth, Dept. of Biological Sciences, Fish Nutrition Unit, Drake Circus, Plymouth Devon PL4 8AA, UK)

**18063 - Effects of extracts of dried leaves of *Erythrophleum suaveolens* as anesthetics on clariid catfish.** Mgbenka, B.O.; Ejiogor, E.N. 1998. *J. Appl. Aquacult.* 8(4):73-80. (University

of Nigeria, Dept. of Zoology, Nsukka, Enugu State, Nigeria)

**18064 - Control of bloom in a tropical lake, grazing efficiency of some herbivorous fishes.** Datta(Saha), S.; Jana, B.B. 1998. *J. Fish Biol.* 53 (1): 12-24. (University of Kalyani, Dept. of Zoology, Aquaculture & Applied Limnology Research Unit, Kalyani 741235, West Bengal, India)

**18065 - Unusual glycoconjugates in the oesophagus of a tilapine polyhybrid.** Scocco, P.; Accili, D.; Menghi, G.; Ceccarelli, P. 1998. *J. Fish Biol.* 53(1):39-48. (Universita di Camerino, Facolta di Medicina Veterinaria, Via Circonvallazione 93, 62024, Matelica (MC), Italy) (Fax: (39) 737 789 321)

**18066 - Morphometric and allozyme variation in the African catfishes *Clarias gariepinus* and *C. anguillaris*.** Rognon, X.; Teugels, G.G.; Guyomard, R.; Galbusera, P.; Andriamanga, M.; Volckaert, F.; Agnese, J. F. 1998. *J. Fish Biol.* 53(1):192-207. (Write to: R. Guyomard, Institut National de la Recherche Agronomique (INRA), Laboratoire de Genetique des Poissons, F-78352, Jouy-en-Josas Cedex, France) (Email: guyomard@jouy.inra.fr)

**18067 - Histological classification of oocyte growth and the dynamics of ovarian recrudescence in *Tilapia zillii*.** Coward, K.; Bromage, N. R. 1998. *J. Fish Biol.* 53(2):285-302. (Royal London Hospital, Dept. of Neurology (c/o Dr P. Anand), Whitechapel, London E1 1BB, UK) (Email: k.coward@mds.qmw.ac.uk)

**18068 - A revision of the akysid catfish genus *Breitensteinia* Steindachner with descriptions of two new species.** Ng, H.H.; Siebert, D.J. 1998. *J. Fish Biol.* 53(3):645-657. (National University of Singapore, Dept. of Biological Sciences, Kent Ridge 119260, Singapore) (Email: scip@leonis.nus.edu.sg)

**18069 - Reef fish behaviour during a total solar eclipse at Pinta Island, Galapagos.** Jennings, S.; Bustamante, R.H.; Collins, K.; Mallinson, J. 1998. *J. Fish Biol.* 53(3):683-686. (University of East Anglia, School of Biological Sciences, Norwich, NR4 7TJ, UK) (Email: simon.jennings@uea.ac.uk)

**18070 - The relationships among polycultured-fishes in high-yield fish ponds.** Xie, J.; Huang, Z. H.; Xiao, X.Z.; Wu, R.Q.; Lu, M.X. 1998. *J. Fish. China* 22(2):106-110. (CAFS, Pearl River Fisheries Research Institute, Guangzhou 510380, China)

**18071 - *Pseudorhinogobius aporus*, a new**

**Bibliography continued**

**genus and species of gobiid fish from eastern China.** Zhong, J.S.; Wu, H.L. 1998. *J. Fish. China* 22(2):148-153. (Shanghai Fisheries University, Laboratory of Fishes, Shanghai 20090, China)

**18072 - Studies on genetic diversity in oysters, *Crassostrea*.** Liu, B.Q.; Dai, J.X. 1998. *J. Fish. China* 22(3):193-198. (Ocean University of Qingdao, Dept. of Marine Biotechnology, Qingdao 266003, China)

**18073 - Study on the homalopterid fishes from Fujian Province, China.** Li, S.Q. 1998. *J. Fish. China* 22(3):260-264. (Fujian Province Museum, Dept. of Nature, Fuzhou 350001, China)

**18074 - Studies on soybean protein as a substitute for fish meal in formulated diets for *Anguilla anguilla*.** Chen, N.S.; Ai, Q.H.; Wang, D.Z. 1998. *J. Fish. China* 22(3):283-288. (Shanghai Fisheries University, Fisheries College, Shanghai 200090, China)

**18075 - On-station evaluation of growing performance of five strains of Nile tilapia.** Li, S. F.; Li, C.H.; Li, J.L.; Ham, F.J.; Ye, W.; Chen, P.X.; Zhou, Z.J. 1998. *J. Fish. China* 22(4):314-321. (Shanghai Fisheries University, Shanghai 200090, China)

**18076 - Stock assessment of *Scomber japonicus* from the East China Sea with virtual population analysis.** Chen, W.Z.; Hu, F.; Yan, L.P. 1998. *J. Fish. China* 22(4):334-339. (CAFS, East China Sea Fisheries Research Institute, Shanghai 200090, China)

**18077 - Effect of temperature and bacterial infection on the absorption and elimination of oxolinic acid in Nile tilapia (*Oreochromis niloticus*).** Kim, M.S.; Park, S.W.; Huh, M.D.; Jeong, H.D. 1998. *J. Korean Fish. Soc.* 31(5):677-684. (Pukyong National University, Dept. of Aquatic Life Medicine, Pusan 608-737, Korea)

**18078 - Growth and production of resting eggs of freshwater rotifer, *Brachionus calyciflorus* Pallas at the different temperatures.** Park, H. G. 1998. *J. Korean Fish. Soc.* 31(5):779-784. (Kangnung National University, Faculty of Marine Bioscience & Technology, Kangnung 210-702, Korea)

**18079 - Changes of bacterial population during decomposition process of red tide dinoflagellate, *Cochlodinium polykrikoides* in the marine sediment addition of yellow loess.** Park, Y.T.; Lee, W.J. 1998. *J. Korean Fish. Soc.* 31(6):920-926. (Pukyong National University, Korea Inter-University Institute of Ocean Science, Pusan 608-737, Korea)

**18080 - The effect of triphenyltin hydroxide to chromosomes of catfish (hybrid of *Clarias macrocephalus* and *C. gariepinus*).** Visoottiviset, P.; Sungpetch, A.; Nukwan, S. 1998. *J. Sci. Soc. Thail.* 24(3):193-198. (Mahidol University, Fac-

ulty of Science, Biology Dept., Rama VI Rd., Bangkok 10400, Thailand)

**18081 - Effects of ion content and pH of medium on motility of tilapia (*Oreochromis niloticus*) sperm.** Utarabhand, P.; Watanakul, V. 1998. *J. Sci. Soc. Thail.* 24(1):1-10. (Prince of Songkla University, Faculty of Science, Dept. of Biochemistry, Hat Yai, Songkla 90112, Thailand)

**18082 - Electrophoretic and morphometric analyses in species differentiation of small oysters, *Saccostrea* spp., in Thailand.** Visoottiviset, P.; Day, A.; Siwadune, T. 1998. *J. Sci. Soc. Thail.* 24(1):21-36. (Mahidol University, Faculty of Science, Biology Dept., Rama VI Rd, Phaythai, Bangkok 10400, Thailand)

**18083 - Karyotype of a hybrid catfish (*Clarias macrocephalus* x *Clarias gariepinus*).** Visoottiviset, P.; Sungpetch, A.; Pongthana, N. 1998. *J. Sci. Soc. Thail.* 24(1):57-63. (Mahidol University, Faculty of Science, Biology Dept., Rama VI Rd., Bangkok 10400, Thailand)

**18084 - Consumption and assimilation of salmon net pen fouling debris by the red sea cucumber *Parastichopus californicus*, implications for polyculture.** Ahlgren, M. O. 1998. *J. World Aquacult. Soc.* 29(2):133-139. (Sheldon Jackson College, Science Division, Sitka, AK 99835, USA)

**18085 - Artificial propagation of mutton snapper *Lutjanus analis*, a new candidate marine fish species for aquaculture.** Watanabe, W.O.; Ellis, E.P.; Ellis, S.C.; Chaves, J.; Manfredi, C.; Hagood, R.W.; Sparsis, M.; Arneson, S. 1998. *J. World Aquacult. Soc.* 29(2):176-187. (University of North Carolina at Wilmington, Center for Marine Science Research, 7205 Wrightsville Ave., Wilmington, NC 28403, USA)

**18086 - Multiple induced spawnings of the Indian catfish *Heteropneustes fossilis* (Bloch) within a prolonged spawning season.** Alok, D.; Krishnan, T.; Talwar, G.P.; Garg, L.C. 1998. *J. World Aquacult. Soc.* 29(2):252-258. (Write to: L.C. Garg, National Institute of Immunology, Aruna Asaf Ali Marg, India)

**18087 - Effect of food ration and temperature on length of brooding period, larval development and size of pediveligers released in the Chilean oyster *Ostrea chilensis*.** Toro, J. E.; Morande, P.R. 1998. *J. World Aquacult. Soc.* 29(2):267-270. (Memorial University of Newfoundland, Ocean Sciences Centre, St. John's, NFLD A1C 5S7, Canada)

**18088 - Nicotinic acid supplementation of diets for the African catfish, *Clarias gariepinus* (Burchell).** Morris, P.C.; Baker, R.T.M.; Davies, S. J. 1998. *Aquacult. Res.* 29(11):791-799. (BOCM PAULS Fish Feed Group, Renfrew Mill, Wright Street, Renfrew PA4 8AH, UK)

**18089 - Water quality and bacterial populations in a tropical marine cage culture farm.**

Arulampalam, P.; Yusoff, F. M.; Shariff, M.; Law, A.T.; Rao, P.S.S. 1998. *Aquacult. Res.* 29(9):617-624. (Write to: F. M. Yusoff, Universiti Putra Malaysia, Faculty of Science & Environmental Studies, Dept. of Biology, 43400 Serdang, Selangor, Malaysia)

**18090 - Autoregressive technique in length growth modelling of two Indian major carps, *Catla catla* (Hamilton) and *Labeo rohita* (Hamilton), reared under two holding conditions.** Basu, T. K.; Bhattacharyya, B.; Sarkar, S. K.; Ganguly, S.; Medda, C. 1998. *Aquacult. Res.* 29(9):625-634. (Indian Statistical Institute, Biometry Research Unit, 203 Barrackpore Trunk Rd., Calcutta 700035, India)

**18091 - Polyculture of silver barb, *Puntius gonionotus* (Bleeker), Nile tilapia, *Oreochromis niloticus* (L.), and common carp, *Cyprinus carpio* L., in Vietnamese ricefields, feeding ecology and impact on rice and ricefield environment.** Rothuis, A.J.; Duong, L.T.; Richter, C.J.J.; Ollevier, F. 1998. *Aquacult. Res.* 29(9):649-660. (Sumatrastraat 13, 6707 EE, Wageningen, Netherlands)

**18092 - Polyculture of silver barb, *Puntius gonionotus* (Bleeker), Nile tilapia, *Oreochromis niloticus* (L.), and common carp, *Cyprinus carpio* L., in Vietnamese ricefields, fish production parameters.** Rothuis, A. J.; Nam, C. Q.; Richter, C. J. J.; Ollevier, F. 1998. *Aquacult. Res.* 29(9):661-668. (Sumatrastraat 13, 6707 EE, Wageningen, Netherlands)

**18093 - Evaluation of guar seed as a protein source in Nile tilapia, *Oreochromis niloticus* (L.), practical diets.** Al-Hafedh, Y.S.; Siddiqui, A.Q. 1998. *Aquacult. Res.* 29(10):703-708. (KACST, Natural Resources & Environment Research Institute, Food Resources Division, P. O. Box 6086, Riyadh 11442, Saudi Arabia)

**18094 - Effect of the use of the microalga *Spirulina maxima* as fish meal replacement in diets for tilapia, *Oreochromis mossambicus* (Peters), fry.** Olivera-Novoa, M.A.; Dominguez-Cen, L. J.; Olivera-Castillo, L.; Martinez-Palacios, C.A. 1998. *Aquacult. Res.* 29(10):709-715. (Centro de Investigacion y de Estudios Avanzados del I. P. N. (CINVESTAV), Unidad Merida, Apdo. Postal 73-CORDEMEX, 97310 Merida, Yucatan, Mexico)

**18095 - Feeding sequences (rotifer and dry diet), survival, growth and biochemical composition of African catfish, *Clarias gariepinus* Burchell (Pisces: Clariidae), larvae.** Awaiss, A.; Kestemont, P. 1998. *Aquacult. Res.* 29(10):731-741. (Write to: P. Kestemont, Universite Abdou Moumouni Dioffo, Faculte d'Agonomie, Dept. du Genie rural & des Forets, BP 10960, Niamey, Niger)

**18096 - *Penaeus monodon* (Fabricius) and *Penaeus merguensis* (de Man) biculture in East Java, Indonesia.** Hariati, A.M.; Wiadnya, D.G.R.;

## INFORMATION

## Bibliography continued

- Rini, R.K.; Boon, J.K.; Verdegem, M.C.J. 1998. *Aquacult. Res.* 29(10):743-750. (Write to: M.C.J. Verdegem, Wageningen Agricultural University, Wageningen Institute of Animal Sciences, Fish Culture & Fisheries Group, PO Box 338, 6700 AH, Wageningen, Netherlands)
- 18097 - Les statistiques de peche.** Delpech, J.P. 1998. *Cybiurn* 22(4):345-348. (IFREMER, 150 quai Gambetta, BP 699, 62321, Boulogne-sur-Mer, (Email: Jean-Paul.Delpech@ifremer.fr))
- 18098 - Gonads of groupers (Serranidae) from Mururoa and Hao (French Polynesia) used as indicators of the quality of the coral reef environment, histological and ultrastructural aspects.** Brusle, J.; Brusle-Sicard, S.; Fourcault, B. 1998. *Cybiurn* 22(4):371-382. (Universite de Perpignan, Laboratoire de Biologie Marine, 52 avenue de Villeneuve, 66860, Perpignan Cedex, France)
- 18099 - Changements graduels du regime alimentaire des juveniles d'oblade (*Oblada melanura*, Sparidae) lors du recrutement.** Lenfant, P.; Olive, C. 1998. *Cybiurn* 22(3):203-210. (Universite de Perpignan, Laboratoire d'Ichtyoecologie Tropicale et Mediterraneene, E.P.H.E. - URA CNRS 1453, ave. de Villeneuve, 66860, Perpignan Cedex, France)
- 18100 - Redescription of a Chinese freshwater goby, *Gobius davidi* (Gobiidae) and comparison with *Rhinogobius lentiginis*.** Chen, I.S.; Miller, P.J. 1998. *Cybiurn* 22(3):211-221. (University of England, School of Biological Sciences, Bristol BS8 1UG, UK)
- 18101 - Revision systematique du genre *Anaspidoglanis* (Siluriformes: Claroteidae) de l'Afrique centrale.** Mbega, J.D.; Teugels, G.G. 1998. *Cybiurn* 22(3):223-236. (Write to: G.G. Teugels, Musee Royal de l'Afrique Centrale, Laboratoire d'Ichtyologie, B-3080, Tervuren, Belgium) (Email:teugels@africamuseum.be)
- 18102 - *Cynolebias gilbertoi*, a new species of annual fish (Cyprinodontiformes: Rivulidae) from the Rio Sao Francisco Basin, northeastern Brazil.** Costa, W.J.E.M. 1998. *Cybiurn* 22(3):237-243. (Universidade Federal do Rio de Janeiro, Dept. de Zoologia, Laboratorio de Ictiologia General e Aplicada, RJ, Brazil) (Email: wcosta@acd.ufrj.br)
- 18103 - Composition, structures et reseaux trophiques des peuplements de poissons de la cote au vent de l'Ile de la Reunion.** Letourneur, Y. 1998. *Cybiurn* 22(3):267-283. (Centre d'Oceanologie de Marseille, Station Marine d'Endoume, Rue de la Batterie des Lions, 13007, Marseille, France)
- 18104 - Population dynamics of *Calanus chilensis* in the Chilean Eastern Boundary Humboldt Current.** Escribano, R. 1998. *Fish. Oceanogr.* 7(3/4):245-251. (Universidad de Antofagasta, Instituto de Investigaciones Oceanologicas, PO Box 170, Antofagasta, Chile) (Email: escriban@reuna.cl)
- 18105 - Predicting skipjack tuna forage distributions in the equatorial Pacific using a coupled dynamical bio-geochemical model.** Lehodey, P.; Andre, J.M.; Bertignac, M.; Hampton, J.; Stoens, A.; Menkes, C.; Memery, L.; Grima, N. 1998. *Fish. Oceanogr.* 7(3/4):317-325. (Secretariat of the Pacific Community, PB D5, 98848, Noumea Cedex, New Caledonia) (Email:PatrickL@spc.or-g.nc)
- 18106 - A spatial population dynamics simulation model of tropical tunas using a habitat index based on environmental parameters.** Bertignac, M.; Lehodey, P.; Hampton, J. 1998. *Fish. Oceanogr.* 7(3/4):326-334. (Secretariat of the Pacific Community, BP D5, Noumea Cedex, New Caledonia) (Email: michelb@spc.org.nc)
- 18107 - Wild milkfish just waiting to be caught.** Mounsey, R. 1998. *INFOFISH Int.* (5):20-22. (Dept. of Primary Industry & Fisheries, GPO Box 990, Darwin, NT 0801, Australia) (Fax:(61-8)89811475)
- 18108 - Development of a grouper hybrid for aquaculture.** James, C.M.; Al-Thobaiti, S.; Rasem, B.M. 1998. *INFOFISH Int.* (5):23-29.
- 18109 - Freshwater prawn culture in India.** Murthy, H.S. 1998. *INFOFISH Int.* (5):30-32,34-36. (College of Fisheries, Mangalore, Karnataka 575 002, India)
- 18110 - Tuna processing, the case for value-addition.** Lee, W. 1998. *INFOFISH Int.* (5):44-47,49-50.
- 18111 - Bangladesh, shrimp processors invest in plant upgrades and HACCP to produce safe products.** Cato, J.C.; Lima dos Santos, C.A. 1998. *INFOFISH Int.* (5):51-56. (University of Florida, Florida Sea Grant College Program, Gainesville, FL 32611, USA)
- 18112 - An overview of marine fisheries in Myanmar.** Kunhimohamad, A.E.; Daud, M. 1998. *INFOFISH Int.* (5):57-58,60,62. (INFOFISH, PO Box 10899, 50728, Kuala Lumpur, Malaysia) (Email: infish@tm.net.my)
- 18113 - The fishmeal industry in Latin America, review and outlook.** Ros, J.S.C. 1998. *INFOFISH Int.* (6):16-21. (INFOPECSA, Casilla de Correo 7086, Correo Central, Montevideo, Uruguay) (Fax: (598)2930501)
- 18114 - Shrimp pond effluents and the environment, the Malaysian scenario.** Choo, P.S. 1998. *INFOFISH Int.* (6):28-34. (Fisheries Research Institute, Aquatic Ecology Section, Penang, Malaysia)
- 18115 - PCR-based nuclear and mtDNA markers and shell morphology as an approach to study the taxonomic status of the Chilean blue mussel, *Mytilus chilensis* (Bivalvia).** Toro, J.E. 1998. *Aquat. Living Resour.* 11(5):347-353. (Memorial University of Newfoundland, Dept. of Biology, St John's, NFLD A1B 3X9, Canada) (Email: jtoro@morgan.ucs.mun.ca)
- 18116 - Feeding in darkness alleviates density-dependent growth of juvenile vundu catfish *Heterobranchus longifilis* (Clariidae).** Baras, E.; Tissier, F.; Westerloppe, L.; Melard, C.; Philippart, J.C. 1998. *Aquat. Living Resour.* 11(5):335-340. (University of Liege, Laboratory of Fish Demography & Aquaculture, 10, Chemin de la Justice, B-4500, Tihange, Belgium) (Email: E.Baras@ulg.ac.be)
- 18117 - Fish assemblage composition in relation to environmental gradients in Portuguese reservoirs.** Godinho, F.N.; Ferreira, M.T.; Portugal e Castro, M.I. 1998. *Aquat. Living Resour.* 11(5):325-334. (Estacao Florestal Nacional, Posto Apicola, Tapada da Ajuda, 1300, Lisboa, Portugal) (Email: efn.dcrn2@esoterica.pt)
- 18118 - Application of Leslie's model on a population of common dolphins (*Delphinus delphis*), sensitivity study.** Fifas, S.; Goujon, M.; Antoine, L. 1998. *Aquat. Living Resour.* 11(6):359-369. (IFREMER, Centre de Brest, DRV/RH, BP 70, 29280, Plouzane, France) (Email: fifas@ifremer.fr)
- 18119 - Natural fishing experiments in marine reserves 1983-1993, roles of life history and fishing intensity in family responses.** Russ, G.R.; Alcalá, A.C. 1998. *Coral Reefs* 17(4):399-416. (James Cook University of North Queensland, Dept. of Marine Biology, Townsville, QLD 4811, Australia) (Email: garry.russ@jcu.edu.au)
- 18120 - Natural fishing experiments in marine reserves 1983-1993, community and trophic responses.** Russ, G.R.; Alcalá, A.C. 1998. *Coral Reefs* 17(4):383-397. (James Cook University of North Queensland, Dept. of Marine Biology, Townsville, QLD 4811, Australia) (Email: garry.russ@jcu.edu.au)
- 18121 - Sea surface temperatures and coral reef bleaching off La Parguera, Puerto Rico (north-eastern Caribbean Sea).** Winter, A.; Appeldoorn, R.S.; Bruckner, A.; Williams, E.H., Jr.; Goenaga, C. 1998. *Coral Reefs* 17(4):377-372. (University of Puerto Rico, Dept. of Marine Sciences, PO Box 9013, Mayaguez, PR 00681-9013, USA) (Email: a\_winter@rumac.upr.clu.edu)
- 18122 - Mass bleaching of corals on the Great Barrier Reef.** Baird, A.H.; Marshall, P.A. 1998. *Coral Reefs* 17(4):376. (James Cook University, Dept. of Marine Biology, Townsville, QLD 4811, Australia)
- 18123 - *Belonoperca pylei*, a new species of seabass (Teleostei: Serranidae: Epinephelinae: Diploprionini) from the Cook Islands with comments on relationships among**

**Bibliography continued**

- diploprionins.** Baldwin, C.C.; LeoSmith, W. 1998. *Ichthyol. Res.* 45(4):325-339. (Smithsonian Institution, National Museum of Natural History, Division of Fishes, MRC 159, Washington, DC 20506, USA) (Email: baldwinc@nmnh.si.edu)
- 18124 - Phylogeny of the flyingfish family Exocoetidae (Teleostei, Beloniformes).** Dasilao, J.C., Jr.; Sasaki, K. 1998. *Ichthyol. Res.* 45(4):347-353. (Kochi University, Usa Marine Biological Institute, Tosa, Inoshiri, Kochi 781-1164, Japan) (Email: dasilao@cc.kochi-u.ac.jp)
- 18125 - *Channa panaw*, a new channid fish from the Irrawaddy and Sittang River basins, Myanmar.** Musikasinthorn, P. 1998. *Ichthyol. Res.* 45(4):355-362. (Tokyo University of Fisheries, Laboratory of Ichthyology, 4-5-7 Konan, Minato-ku, Tokyo 108-8477, Japan) (Email: ad95208@tokyo-u-fish.ac.jp)
- 18126 - *Pterocryptis buccata*, a new species of catfish from western Thailand (Teleostei: Siluridae) with epigeal and hypogean populations.** Ng, H.H.; Kottelat, M. 1998. *Ichthyol. Res.* 45(4):393-399. (National University of Singapore, Dept. of Biological Sciences, Kent Ridge, 119260, Singapore) (Email: scip7116@leo-nis.nus.edu.sg)
- 18127 - *Callochromis stappersii* (Boulenger, 1914) from Lake Tanganyika, a junior synonym of *C. pleurospilus* (Boulenger, 1906) (Perciformes, Cichlidae).** Takahashi, T.; Nakaya, K. 1998. *Ichthyol. Res.* 45(4):413-418. (Hokkaido University, Faculty of Fisheries, Laboratory of Marine Zoology, 3-1-1 Minato-cho, Hakodate, Hokkaido 041-8611, Japan) (Email: tetsumi@pop-fish.hokudai.ac.jp)
- 18128 - Present status of research on grouper in Indonesia.** Ahmad, T. 1998. *Indones. Agric. Res. Dev. J.* 20(2):33-39. (Research Institute for Coastal Aquaculture, Jl. Makmur Daeng Sitakka, Maros 90511, Indonesia)
- 18129 - Fecundity indices of giant freshwater prawn, *Macrobrachium rosenbergii* (de Man).** Sureshkumar, S.; Kurup, B.M. 1998. *J. Aquacult. Trop.* 13(3):181-188. (Cochin University of Science & Technology, School of Industrial Fisheries, Fine Arts Ave., Cochin 682016, India)
- 18130 - Optimum dietary protein to energy ratio for Thai sharpunti (*Puntius gonionotus* Bleeker).** Hossain, M.A.; Rahman, M.M.; Chakraborty, S. C. 1998. *J. Aquacult. Trop.* 13(3):195-202. (Bangladesh Agricultural University, Dept. of Aquaculture, Mymensingh 2202, Bangladesh)
- 18131 - Effect of temperature on losses and retention of nitrogen by silver perch, *Bidyanus bidyanus* (Mitchell 1838) (Teraponidae) fed on artificial diets.** Kibria, G.; Nugegoda, D.; Fairclough, R.; Lam, P. 1998. *J. Aquacult. Trop.* 13(3):203-214. (84 Munro Street, Coburg, VIC 3058, Australia) (Email: humayun@pl.camtech-.net.au)
- 18132 - Acute toxicity of malachite green to the Nile tilapia, *Oreochromis niloticus* (L.).** Omoregie, E.; Ofojekwu, P.C.; Anosike, J.C.; Adeleye, A.O. 1998. *J. Aquacult. Trop.* 13(4):233-237. (University of Jos, Dept. of Zoology, Jos, Nigeria)
- 18133 - Rearing of common carp (*Cyprinus carpio*) fry to fingerling in pens.** Jayaraj, E.G.; Devaraj, K.V.; Chowdary, G.P. 1998. *J. Aquacult. Trop.* 13(4):245-253. (University of Agricultural Sciences, Zonal Research Station, Konehalli, Tiptur 572 202, Karnataka, India)
- 18134 - Efficacy of artificial plankton diet on growth of common carp (*Cyprinus carpio*) fry.** Jana, B. B.; Datta, S. 1998. *J. Aquacult. Trop.* 13(4):255-260. (Kalyani University, Dept. of Zoology, Aquaculture & Applied Limnology Research Unit, Kalyani 741 235, West Bengal, India)
- 18135 - Fungal flora of samples from Nigerian freshwater fish culture.** Okpokwasili, G.C.; Ogbulie, J.N.; Okpokwasili, N.P. 1998. *J. Aquacult. Trop.* 13(4):269-276. (University of Port Harcourt, Dept. of Microbiology, PMB 5323, Port Harcourt, Nigeria)
- 18136 - Experimental infection of Western Hemisphere penaeid shrimp with Asian white spot syndrome virus and Asian yellow head virus.** Lightner, D.V.; Hasson, K.W.; White, B.L.; Redman, R.M. 1998. *J. Aquat. Anim. Health* 10(3):271-281. (University of Arizona, Dept. of Veterinary Science & Microbiology, Tucson, AZ 85721, USA) (Email: dvl@u.arizona.edu)
- 18137 - Histopathology of hybrid tilapia infected with a biotype of *Streptococcus iniae*.** Perera, R. P.; Fiske, R. A.; Johnson, S. K. 1998. *J. Aquat. Anim. Health* 10(3):294-299. (Australian Quarantine & Inspection Service, P. O. Box 858, Canberra, CT 2601, Australia) (Email: ramesh.perera@dpi.gov.au)
- 18138 - Comparative morphology of three native lernaeids (Copepoda: Cyclopoida) from Amazonian fishes and descriptions of two new genera.** Thatcher, V.E.; Williams, E.H., Jr. 1998. *J. Aquat. Anim. Health* 10(3):300-308. (Instituto Nacional de Pesquisas da Amazonia, Caixa Postal 478, 69011-000, Manaus, Amazonas, Brazil) (Email: thatcher@inpa.gov.br)
- 18139 - Differentiation between populations of the Portuguese oyster, *Crassostrea angulata* (Lamarck) and the Pacific oyster, *Crassostrea gigas* (Thunberg), revealed by mtDNA RFLP analysis.** Boudry, P.; Heurtebise, S.; Collet, B.; Cornette, F.; Gerard, A. 1998. *J. Exp. Mar. Biol. Ecol.* 226(2):279-291. (IFREMER, Laboratoire de Genetique, Aquaculture et Pathologie, BP 133, 17390, La Tremblade, France)
- 18140 - Effects of unidirectional and oscillatory water flow on nitrogen fixation (acetylene reduction) in coral reef algal turfs, Kaneohe Bay, Hawaii.** Williams, S.L.; Carpenter, R.C. 1998. *J. Exp. Mar. Biol. Ecol.* 226(2):293-316. (San Diego State University, Dept. of Biology, San Diego, CA92182-4614, USA) (Email: swilliam@sunstroke.sdsu.edu)
- 18141 - Fatty acid content of some freshwater fish of commercial importance from tropical lakes in the Ethiopian Rift Valley.** Zenebe, T.; Ahlgren, G.; Boberg, M. 1998. *J. Fish Biol.* 53(5):987-1005. (Uppsala University, Institute of Limnology, Norbyvagen 20, SE-752 36, Uppsala, Sweden)
- 18142 - Population structure of seabass in Portugal, evidence from allozymes.** Castilho, R.; McAndrew, B.J. 1998. *J. Fish Biol.* 53(5):1038-1049. (UCTRA, Universidade do Algarve, 8000, Faro 8001, Portugal) (Email: rcastil@ualg.pt)
- 18143 - Food consumption and growth of two piscivorous fishes, the mandarin fish and the Chinese snakehead.** Liu, J.; Cui, Y.; Liu, J. 1998. *J. Fish Biol.* 53(5):1071-1083. (Write to: Cui, Y., Chinese Academy of Sciences, Institute of Hydrobiology, Wuhan 430072, China) (Email: yibocui@public.wh.hb.cn)
- 18144 - Integration of aquaculture into the farming systems of the floodprone ecosystems of Bangladesh, an evaluation of adoption and impact.** Gupta, M.V.; Mazid, M. A.; Islam, M. S.; Rahman, M.; Hussain, M.G. 1999. International Symposium of Abalone Biology, Fisheries, and Culture, 3rd, Monterey, California, USA, 25-31 October 1997. ICLARM Tech. Rep. (56):32p. With financial support from the USAID. (Write to: The Communication Unit Manager, ICLARM, PO Box 500, GPO, 10670 Penang, Malaysia) (Email: ICLARM@cgiar.org)
- 18145 - Measuring the unmeasurable, a multivariate and interdisciplinary method for rapid appraisal of the health of fisheries.** Pitcher, T.J.; Bundy, A.; Preikshot, D.; Hutton, T.; Pauly, D. 1998. p.31-54. *In:* Pitcher, T. J.; Hart, P. J. B.; Pauly, D. (eds.) Reinventing fisheries management, Chapter 3. Fish and fisheries series, 23. London, Kluwer Academic Publishers. (Publisher's address: P. O. Box 17, 3300 AA, Dordrecht, Netherlands)
- 18146 - Aquatic resources education for the development of world needs.** Williams, M. 1998. p.163-174. (See no. 18145) (ICLARM, PO Box 500, GPO, 10670 Penang, Malaysia) (Email: M.J. Willaims@cgiar.org)
- 18147 - Rebuilding ecosystems, not sustainability, as the proper goal of fishery management.** Pitcher, T. J.; Pauly, D. 1998. p. 311-329 (See no. 18145) (University of British Columbia, Fisheries Centre, 2204 Main Mall, Vancouver, BC V6T 124, Canada) (Email:

## INFORMATION

### Bibliograph continued

tpitcher@fisheries.com)

**18148 - Speaking for themselves, new acts, new actors and a new deal in a reinvented fisheries management.** Pauly, D.; Hart, P.J.B.; Pitcher, T.J. 1998. p.409-415. (See no. 18145) (University of British Columbia, Fisheries Centre, 2204 Main Mall, Vancouver, BC V6T 124, Canada) (Email: pauly@fisheries.com)

**18149 - Mass production of grey mullet, *Mugil cephalus*, effects of environmental and nutritional factors on larval performance.** Harel, M.; Atia, S.B.; Zoltkin, V.; Tandler, A. 1998. *Isr. J. Aquacult./Bamidgeh* 50(3):91-98. (National Center for Mariculture, P.O. Box 1212, Eilat, Isreal)

### Subject Index

- Abundance 18119  
 Advection 18105  
 Age at recruitment 18118  
 Algal blooms 18064  
 Allozymes 18066, 18142  
 Anaesthetics 18063  
 Animal morphology 18068, 18071, 18073, 18100, 18101, 18102, 18115, 18123, 18124, 18125, 18126  
 Anthropogenic factors 18054  
 Aquaculture 18060  
 Aquaculture development 18128  
 Aquaculture effluents 18089, 18114  
 Aquaculture techniques 18087, 18090, 18109  
 Aquatic communities 18053  
 Aquatic resources 18146  
 Artificial feeding 18074, 18131, 18134  
 Bacteria 18079, 18089  
 Bacterial diseases 18077, 18137  
 Behavioural responses 18069  
 Bioassays 18077, 18132  
 Biochemical composition 18095, 18141  
 Biochemical properties 18089  
 Bioenergetics 18130  
 Biogeography 18055, 18066  
 Biological control 18064  
 Biological development 18067  
 Biological pollutants 18089  
 Biomass 18103, 18120  
 Body conditions 18095, 18141  
 Body weight 18143  
 Cage culture 18084, 18089, 18133  
 Cannibalism 18116  
 Catch composition 18052  
 Catch/effort 18052, 18059  
 Chromosomes 18080, 18083  
 Circadian rhythms 18099  
 Coastal upwelling 18104  
 Community composition 18103, 18117, 18119, 18120  
 Community structure 18055  
 Competition 18092  
 Convergence 18105  
 Coral 18121, 18122  
 Coral reefs 18054, 18098, 18121, 18122, 18140  
 Culture effects 18114  
 Decomposers 18079  
 Deficiency diseases 18088  
 Detritus feeders 18084, 18091  
 Diets 18062, 18088, 18091, 18093, 18094, 18095, 18099, 18130, 18134  
 DNA 18072, 18115, 18139  
 Ecosystem disturbance 18053  
 Ecosystem management 18147  
 Ecosystem resilience 18147  
 Education 18146  
 El Niño phenomena 18104  
 Electrophoresis 18066, 18082, 18142  
 Environmental conditions 18096  
 Environmental effects 18149  
 Environmental factors 18054, 18057  
 Environmental impact 18114  
 Enzymatic activity 18081  
 Equatorial upwelling 18105  
 Esophagus 18065  
 Excretion 18131  
 Farming systems 18144  
 Fatty acids 18141  
 Fecundity 18078, 18129  
 Feed 18135  
 Feed composition 18094, 18134  
 Feed efficiency 18062, 18093  
 Feeding 18116  
 Feeding behaviour 18056, 18099, 18143  
 Feeding experiments 18050, 18062, 18074, 18088, 18093, 18094, 18095, 18116, 18130, 18134, 18149  
 Filter feeders 18050  
 Fingerlings 18063, 18132, 18133  
 Fish culture 18062, 18063, 18070, 18074, 18084, 18085, 18086, 18090, 18092, 18095, 18108, 18116, 18128, 18131, 18133, 18134, 18135, 18144  
 Fish diseases 18135, 18137  
 Fish eggs 18090  
 Fish larvae 18085, 18095, 18149  
 Fish meal 18113  
 Fish physiology 18067  
 Fish wastes 18084  
 Fisheries 18053, 18103  
 Fishermen 18052  
 Fishery industry 18112, 18113, 18128  
 Fishery management 18058, 18059, 18119, 18120, 18145, 18146, 18147, 18148  
 Fishery oceanography 18057  
 Fishery statistics 18097  
 Fishing effort 18097  
 Fishing operations 18119, 18120  
 Food additives 18050  
 Food availability 18104  
 Food consumption 18143  
 Food conversion 18130  
 Food organisms 18095, 18149  
 Fouling control 18084  
 Freshwater aquaculture 18109  
 Freshwater fish 18053, 18055, 18065, 18135, 18141  
 Freshwater lakes 18141  
 Fringing reefs 18054  
 Frozen products 18111  
 Fry 18094, 18133, 18134  
 Fungi 18135  
 Fungicides 18132  
 Genetic markers 18115, 18139  
 Genetic variation 18066, 18072, 18142  
 Geographical distribution 18054, 18105, 18106  
 Gillnets 18118  
 Gonads 18098  
 Grazing 18064  
 Growth 18051, 18062, 18075, 18078, 18092, 18093, 18095, 18116, 18130, 18134, 18143, 18149  
 Growth curves 18090  
 Habitat 18055, 18117  
 Hatcheries 18108, 18129  
 Health and safety 18111  
 Herbivorous fish 18064  
 Histochemistry 18065  
 Histology 18067, 18098  
 Histopathology 18136, 18137  
 Horizontal distribution 18104  
 Hormones 18086  
 Hybrid culture 18075, 18108  
 Hybrids 18065, 18080, 18083, 18108, 18137  
 Identification keys 18068  
 Impact assessment 18144  
 Income 18052  
 Indicator species 18098  
 Induced breeding 18085, 18086  
 Infectious diseases 18136  
 Integrated farming 18091, 18092, 18144  
 Interspecific relationships 18092  
 Ions 18081  
 Juveniles 18099, 18116, 18136  
 Karyotypes 18083  
 Landing statistics 18097  
 Larval development 18149  
 Leaves 18063  
 Lectins 18065  
 Legumes 18093  
 Length-weight relationships 18051  
 Life cycle 18104  
 Life history 18055, 18119  
 Lipids 18050, 18141  
 Logging 18053  
 Manure 18133  
 Marine aquaculture 18089  
 Marine fisheries 18058, 18112  
 Marine mammals 18118  
 Marine molluscs 18050  
 Marine parks 18119, 18120  
 Marine sediments 18079  
 Mathematical analysis 18076  
 Mathematical models 18058, 18118  
 Meristic counts 18101  
 Meteorology 18057  
 Methionine 18062  
 Methodology 18145  
 Microbiological analysis 18089  
 Modelling 18090  
 Models 18059, 18105, 18106  
 Morphometry 18066, 18082, 18100, 18101, 18115  
 Mortality 18051  
 Mucus 18065  
 Mullet fisheries 18056  
 Multivariate analysis 18145  
 New genera 18071, 18138  
 New species 18068, 18071, 18073, 18102, 18123, 18125, 18126  
 Nicotinic acid 18088  
 Nitrogen 18131  
 Nitrogen fixation 18140

**Subject Index continued**

Nutritional requirements 18062, 18087, 18088, 18149  
 Nutritive value 18093, 18094  
 Oogenesis 18067  
 Organic wastes 18084  
 Organism morphology 18138  
 Ovaries 18067  
 Oxolinic acid 18077  
 Oyster culture 18087  
 Parasites 18138  
 Percoid fisheries 18128  
 Pesticides 18080  
 PH effects 18081  
 Phylogenetics 18139  
 Phylogeny 18123, 18124  
 Physicochemical properties 18140  
 Plankton 18134  
 Plant extracts 18063  
 Polyculture 18070, 18084, 18091, 18092, 18096  
 Pond culture 18070, 18096, 18114, 18135  
 Population density 18103, 18120  
 Population dynamics 18051, 18076, 18104, 18106, 18118  
 Population genetics 18066, 18139, 18142  
 Population structure 18056, 18120, 18142  
 Prawn culture 18109, 18129  
 Predation 18058  
 Prediction 18058  
 Primary production 18140  
 Processing fishery products 18061, 18110, 18111  
 Proteins 18074, 18093, 18094, 18095, 18130, 18131  
 Public health 18061  
 Quality assurance 18061, 18111  
 Quality control 18061  
 Rearing 18085, 18090, 18133  
 Recirculating systems 18085  
 Red tides 18079  
 Reef fish 18069  
 Reef fisheries 18054, 18119, 18120  
 Reproduction 18056  
 Research programmes 18128  
 Reservoir fisheries 18117  
 Reservoirs (Water) 18117  
 Resource management 18146  
 Rice-fish culture 18091, 18092  
 Rift valleys 18141  
 River fisheries 18055  
 Salinity effects 18057  
 Sardine fisheries 18057  
 Seafood 18061, 18111  
 Season regulation 18059  
 Seasonal variations 18057  
 Secondary production 18105  
 Secretory products 18065  
 Sediment property 18096  
 Seed (Aquaculture) 18087, 18107  
 Seed production 18133, 18149  
 Selective breeding 18060, 18108  
 Sexual maturity 18086  
 Shrimp culture 18096, 18114  
 Shrimp diseases 18136  
 Shrimp fisheries 18052, 18059  
 Simulation 18105, 18106  
 Solar eclipse 18069  
 Soybean meal 18074  
 Spat 18082  
 Spatial variations 18055

Spawning populations 18086  
 Species diversity 18053, 18119, 18120  
 Sperm 18081  
 Stock assessment 18076, 18103  
 Stock identification 18082, 18115, 18139  
 Stocking density 18092, 18116  
 Stocks 18107  
 Sublethal effects 18132  
 Survival 18095, 18118, 18149  
 Suspended particulate matter 18050  
 Synonymy 18127  
 Taxonomy 18068, 18071, 18073, 18100, 18101, 18102, 18115, 18123, 18125, 8126, 18127  
 Technology transfer 18144  
 Temperature effects 18057, 18077, 18078, 18087, 18104, 18121, 18122, 18131, 18143  
 Tilapia culture 18075, 18093, 18094  
 Toxicity 18080, 18132  
 Trophic structure 18103  
 Tropics 18089, 18106, 18141  
 Tuna fisheries 18105, 18106  
 Turbulence 18140  
 Typology 18117  
 Vertical distribution 18104  
 Viral diseases 18136  
 Virtual population analysis 18076  
 Vitamin deficiencies 18088  
 Vitellogenesis 18067  
 Water currents 18140  
 Water quality 18089, 18096  
 Zooplankton 18104  
 Zooplankton culture 18078

*Clarias macrocephalus* 18080, 18083  
*Claroteidae* 18101  
*Cochlodinium polykrikoides* 18079  
*Corbula trigona* 18051  
*Crassostrea* 18072  
*Crassostrea angulata* 18139  
*Crassostrea gigas* 18139  
*Cyanopsis tetragonoloba* 18093  
*Cynolebias gilbertoi* 18102  
*Cyprinus carpio* 18091, 18092, 18133, 18134  
*Delphinus delphis* 18118  
*Dicentrarchus labrax* 18142  
*Epinephelus fuscoguttatus* 18108  
*Epinephelus merra* 18098  
*Epinephelus microdon* 18098  
*Epinephelus polyphkadion* 18108  
*Epinephelus tauvina* 18098  
*Erythrophleum suaveolens* 18063  
*Exocoetidae* 18124  
*Gobius davidi* 18100  
*Heterobranchius bidorsalis* 18135  
*Heterobranchius longifilis* 18063, 18116  
*Heteropneustes fossilis* 18086  
*Homalopteridae* 18073  
*Hypophthalmichthys molitrix* 18064  
*Isochrysis galbana* 18149  
*Katsuwonus pelamis* 18105, 18106  
*Labeo rohita* 18090  
*Lernaea cyprinacea* 18138  
*Lutjanus analis* 18085  
*Macrobrachium* 18052  
*Macrobrachium rosenbergii* 18109, 18129  
*Microcystis* 18064  
*Mugil cephalus* 18149  
*Mytilus chilensis* 18115  
*Mytilus edulis* 18115  
*Mytilus galloprovincialis* 18115  
*Mytilus trossulus* 18115  
*Nannochloropsis oculata* 18149  
*Oblada melanura* 18099  
*Oncorhynchus mykiss* 18060  
*Oreochromis aureus* 18137  
*Oreochromis niloticus* 18064, 18075, 18077, 18081, 18091, 18092, 18093, 18094, 18132, 18135, 18137, 18141  
*Ostrea chilensis* 18087  
*Parastichopus californicus* 18084  
*Penaeus* 18114  
*Penaeus aztecus* 18136  
*Penaeus duorarum* 18136  
*Penaeus merguensis* 18096  
*Penaeus monodon* 18096  
*Penaeus semisulcatus* 18059  
*Penaeus setiferus* 18136  
*Penaeus vannamei* 18136  
*Perulemaea gamitanae* 18138  
*Pisces* 18117  
*Plectropomus leopardus* 18098  
*Pseudogastromyzon* 18073  
*Pseudorhinogobius aporus* 18071  
*Pterocryptis buccata* 18126  
*Puntius gonionotus* 18091, 18092, 18130  
*Rhinogobius lentiginis* 18100  
*Rivulidae* 18102  
*Saccostrea* 18082  
*Salmo salar* 18060  
*Salmonidae* 18084  
*Sardinella brasiliensis* 18057

**Taxonomic Index**

(Please note that some of the names used in the articles are synonyms. To find all references for a certain species you have to search under the valid name and possible synonyms)

*Agonostomus monticola* 18056  
*Amazolernaea sanneriae* 18138  
*Anaspidoglanis* 18101  
*Anguila anguila* 18074  
*Aristichthys molitrix* 18064  
*Barbus* 18141  
*Bedsylernaea collaris* 18138  
*Belonoperca pylei* 18123  
*Bidyanus bidyanus* 18131  
*Bivalvia* 18051  
*Brachionus calyciflorus* 18078, 18095  
*Brachionus plicatilis* 18149  
*Breitensteinia cessator* 18068  
*Breitensteinia hypselurus* 18068  
*Calanus chilensis* 18104  
*Callochromis pleurospilus* 18127  
*Callochromis stappersii* 18127  
*Catla catla* 18090  
*Cephalopholis argus* 18098  
*Channa argus* 18143  
*Channa panaw* 18125  
*Chanos chanos* 18107  
*Clarias anguillar* 18066  
*Clarias gariepinus* 18062, 18063, 18066, 18080, 18083, 18088, 18095, 18141  
*Clarias lazera* 18135

---

**INFORMATION**


---

**Taxonomic Index continued**

*Scomber japonicus* 18076  
*Serranidae* 18098, 18123  
*Siniperca chuatsi* 18143  
*Spirulina maxima* 18094  
*Streptococcus iniae* 18137  
*Tapes philippinarum* 18050  
*Tilapia* 18065  
*Tilapia zillii* 18067  
*Variola louti* 18098

---

**Geographic Index**


---

Africa 18066, 18127  
 Apo Island 18119, 18120  
 Australia 18055, 18107  
 Bangladesh 18111, 18130, 18144  
 Borneo 18068  
 Brazil 18057, 18102  
 Burdekin River 18055  
 Chile 18104, 18115  
 China, People's Rep. 18071, 18073, 18075, 18100

Congo 18101  
 Cook Islands 18123  
 Cote d'Ivoire 18051  
 Cross River 18052  
 Donghai Sea 18076  
 Ethiopia 18141  
 France 18097  
 French Polynesia 18098  
 Fujian 18073  
 Galapagos 18069  
 Great Barrier Reef 18122  
 Guinea 18101  
 Hao 18098  
 Hawaii 18140  
 India 18109  
 Indonesia 18068, 18096, 18128  
 Irrawaddy 18125  
 Jamaica 18056  
 Java 18096  
 Kaneohe Bay 18140  
 Kuwait 18059  
 La Parguera 18121  
 Latin America 18113

Malaysia 18053, 18114  
 Mauritius 18054  
 Mediterranean Sea 18099  
 Mekong Delta 18091, 18092  
 Mururoa 18098  
 Myanmar 18112, 18125  
 Nigeria 18052, 18135  
 Pacific Ocean 18105, 18106  
 Philippines 18119, 18120  
 Pinta Island 18069  
 Portugal 18117, 18139, 18142  
 Puerto Rico 18121  
 Reunion Island 18103  
 Rio Sao Francisco 18102  
 Sabah 18053  
 Saudi Arabia 18108  
 Sittang 18125  
 South Brazil Bight 18057  
 Spain 18139  
 Sumatra 18068  
 Sumilon Island 18119, 18120  
 Tanganyika Lake 18127  
 Thailand 18082, 18126  
 Viet Nam 18091, 18092

---